

CBS LINE

4" DEEP WELL PUMP

BODY

304 Stainless steel shaft.

304 Stainless body pump.

Stainless steel terminals inlet/ outlet.

Polypropylene floating impellers with polycarbonate heads.

Built in non-return valve.



19591 NE 10th Ave - Miami, FL 33179 - BAY F & G
(786) 233-4203
www.schraiberpumpusa.com
sales@schraiberpumpusa.com

PERFORMANCE


CBS LINE 4" DEEP WELL PUMP

MODEL	Outlet	Hp	Impeller	Gpm	0.0	4.0	6.6	10.6	15.8	22.4	26.4	29.0
CBS40503	1 1/4"	1/2	4	H (ft)	206.7	190.3	173.9	124.7	36.0			
CBS41003	1 1/4"	1	7	H (ft)	226	217	197	164	151	72	36	16
CBS41503	1 1/4"	1.5	10	H (ft)	318	302	272	236	207	108	46	16
CBS42003	1 1/4"	2	13	H (ft)	407	387	354	305	285	154	49	16
CBS43003	1 1/4"	3	18	H (ft)	502	472	423	384	354	197	66	16

MODEL	Outlet	Hp	Impeller	Gpm	0.0	18.5	21.1	22.4	26.4	31.7	35.6	39.6
CBS41004	2"	1	4	H (ft)	184	151	141	131	118	66	46	16
CBS41504	2"	1.5	6	H (ft)	243	200	187	177	148	102	62	16
CBS42004	2"	2	9	H (ft)	308	253	236	226	197	135	95	20
CBS43004	2"	3	12	H (ft)	420	354	328	308	276	180	98	20




MODEL	Outlet	Hp	Impeller	Gpm	0.0	26.4	29.0	31.7	35.6	43.6	54.1	59.4
CBS45506	2"	5.5	18	H (ft)	463	390	387	377	358	308	174	95
CBS47506	2"	7.5	20	H (ft)	597	505	499	486	449	397	217	121

MODEL	Outlet	Hp	Impeller	Gpm	0.0	35.6	43.6	54.1	64.7	80.5	92.4	105.6
CBS45507	2"	5.5	12	H (ft)	285	269	253	226	203	154	115	
CBS47507	2"	7.5	16	H (ft)	463	338	312	285	249	197	141	




PERFORMANCE

CBS LINE 4" DEEP WELL PUMP



TECHNICAL DATA

CBS LINE
4" DEEP WELL PUMP



MODEL	DN	P	M
CBS40503	1.25"	16.8"	11.0"
CBS41003	1.25"	20.4"	13.4"
CBS41503	1.25"	26.4"	15"
CBS42003	1.25"	30.9"	16.9"
CBS43003	1.25"	36.9"	19.3"
CBS41004	1.5"	19.8"	13.4"
CBS41504	1.5"	23.9"	15"
CBS42004	1.5"	29.4"	16.9"
CBS43004	1.5"	38.9"	19.3"
CBS45506	2"	40.4"	27.5"
CBS47506	2"	49.4"	31"
CBS45507	2"	54.6"	27.5"
CBS47507	2"	65.4"	31"

